



# WALLBOARD TOOL CO., Inc. Catalog #34 Supplement

- Soft grip handle is slip resistant and comfortable
- Tempered aluminum backing for added strength
- Ergonomically designed for less user fatigue
- Blue steel blade

<b>Prod. No.</b>	<b>Blade Dimension</b>
19-038	8" x 3" (203 x 76mm)
19-040	10" x 3" (254 x 76mm)
19-042	12" x 3" (305 x 76mm)
19-044	14" x 3" (356 x 76mm)



**BLUE STEEL TAPING KNIFE**

- Soft grip handle is slip resistant and comfortable
- Tempered aluminum backing for added strength
- Ergonomically designed for less user fatigue
- High quality stainless steel blade

<b>Prod. No.</b>	<b>Blade Dimension</b>
20-038	8" x 3" (203 x 76mm)
20-040	10" x 3" (254 x 76mm)
20-042	12" x 3" (305 x 76mm)



**STAINLESS STEEL TAPING KNIFE**

- Scoops mud, mortar, stucco and other materials
- Soft grip handle is slip resistant and comfortable
- Stainless steel blade with leading edge radius fits 3 and 5 gallon buckets allowing complete bucket clean out

<b>Prod. No.</b>	<b>Blade Dimension</b>
05-002	6-1/2" x 3" (165 x 76mm)



**BUCKET SCOOP**



- *Soft grip handle is slip resistant and comfortable*
- *Steel blade is curved, designed specifically to feather and taper drywall joints*

<b>Prod. No.</b>	<b>Blade Dimension</b>
46-031	4-1/2" X 11" (114 X 279mm)
46-032	5" X 12" (100 X 305mm)
46-034	4-1/2" X 14" (114 X 356mm)



**DRYWALL TROWEL**

- *Soft grip handle is slip resistant and comfortable*
- *Carbon steel blade is heat treated and tempered for proper flex and smooth feathered finish*
- *Ergonomically designed for less user fatigue*
- *Nailing head to set protruding drywall nails*

<b>Prod. No.</b>	<b>Blade</b>
22-034	4" (102mm)
22-036	6" (152mm)



**SOFT GRIP HAMMER-END KNIFE**

- *Carbon steel blade is heat treated and tempered for proper flex and smooth feathered finish*
- *Classic tapered handle design for reliable control and comfort*
- *Nailing head to set protruding drywall nails*

<b>Prod. No.</b>	<b>Blade</b>
22-074	4" (102mm)
22-076	6" (152mm)



**HAMMER-END KNIFE**



- Soft grip handle is slip resistant and comfortable
- Flexible, stainless steel blades for finishing *INSIDE* corners


<b>Prod. No.</b>	<b>Blade Dimensions</b>
82-030	5" x 4" (127 x 102mm)
82-032	3-1/2" x 2-1/2" (89 x 64mm)



**INSIDE CORNER TOOLS**

- Soft grip handle is slip resistant and comfortable
- Flexible, stainless steel blades for finishing *OUTSIDE* corners

<b>Prod. No.</b>	<b>Blade Dimensions</b>
82-034	3-1/2" x 2-1/2" ( 89 x 64mm) Sides



**OUTSIDE CORNER TOOL**

- Improved trigger activated air start/stop control system
- On-gun air/flow control valve for finite air control
- Comfort grip handle and trigger
- One piece body
- Sprays most gravity fed materials
- Designed for wall and ceiling texturing
- Three spray tips: 3/16", 1/4", 5/16" (4.8, 6.3 & 8mm)
- Requires air compressor with 2.4 CFM @ 90 PSI/5.3 CFM @ 40 PSI

<b>Prod. No.</b>	<b>Capacity</b>	<b>Overall Height</b>	<b>Weight</b>
52-020	1-3/4 Gal. (6.6ltr)	22" (559mm)	5 lbs. (2.27kg)
50-040	Material Orifice Set		



**TEXTURE-PRO® 200  
HOPPER GUN**



- Repair large holes or damaged areas in drywall
- Professional quality repairs
- Fits both 1/2" (12.7mm) and 5/8" (15.9mm) drywall panels

**Prod. No.**  
54-014



**DRYWALL REPAIR CLIPS**

- Soft grip handle is slip resistant and comfortable
- 6" (152mm) high carbon steel blade is heat treated and tempered
- Offset teeth cut fast without clogging
- Sharpened tip easily punctures drywall

<b>Prod. No.</b>	<b>Blade Thickness</b>	<b>Length</b>
04-030	.070" (1.75mm)	6" (152mm)



**DRYWALL UTILITY SAW**

- High impact polystyrene plastic is tough and yet economical
- Now available in packs of 3 in the sizes below

<b>Prod. No.</b>	<b>Blade Widths</b>
88-063	2", 4" & 6" (51, 102, 152mm)
88-066	6", 8" & 10" (152, 203, 254mm)



**3 PACK PLASTIC KNIVES**



- *Designed for sanding wallboard joint compound*
- *Achieve professional feather finish*
- *Dustless sanding when used wet*
- *Rinse and reuse*

**Prod. No.**

38-030

**Dimensions**

8 7/8" x 4 1/2" x 1 5/8"  
(47.63 x 114.3 x 41.28mm)



**DUSTLESS DRYWALL SANDING SPONGE**

- 
- *Designed for sanding wallboard joint compound*
  - *Angled for sanding seams, corners and edges*
  - *Achieve Professional feather finish*
  - *Dustless sanding when used wet*
  - *Rinse and reuse*

**Prod. No.**

38-032

**Dimensions**

8 7/8" x 3 7/8" x 1 5/8"  
(47.63 x 98.43 x 41.28mm)



**DUSTLESS ANGLED DRYWALL SANDING SPONGE**


- 
- *3 Layers for maximum performance*
  - *Top sanding, middle support layer, bottom sponge*
  - *For sanding wallboard joint compound*
  - *Layered design to maintain shape*
  - *Achieve professional feather finish*
  - *Dustless sanding when used wet*
  - *Rinse and reuse*

**Prod. No.**

38-035

**Dimensions**

8 7/8" x 4 1/2" x 1 5/8"  
(47.63 x 114.4 x 41.28mm)



**PREMIUM DUSTLESS DRYWALL SANDING SPONGE**



- Trigger activated air start/stop control system
- Sprays texture on walls and ceilings
- On-gun air flow control valve
- Comfort grip handle
- One piece body
- Sprays most gravity fed materials
- Three spray tips: 3/16", 1/4", 5/16" (4.8, 6.3 & 8mm)
- Requires air compressor with 2.4 CFM @ 90 PSI/5.3 CFM @ 40 PSI

<b>Prod. No.</b>	<b>Capacity</b>	<b>Overall Height</b>	<b>Weight</b>
56-020	1-3/4 Gal. (6.6ltr)	22" (559mm)	5 lbs. (2.27kg)
50-040	Material Orifice Set		



**SPRAY-PRO® HOPPER GUN**